FEBS Letters 351 (1994) 463–465

Contents to volume 351

Hypothesis

Structural model of the ATP-binding domain of the F_1-β subunit based on analogy to the RecA protein (FEBS 14409) *T. Amano, M. Yoshida, Y. Matsuo, K. Nishikawa* 1

Research Letters

Characterization of the zinc-metalloprotein nature of rat spermatidal protein TP2 (FEBS 14412) *T.K. Kundu, M.R.S. Rao* 6

Certain phosphoramidate derivatives of dideoxy uridine (ddU) are active against HIV and successfully by-pass thymidine kinase (FEBS 14389) *C. McGuigan, P. Bellevergue, H. Sheeka, N. Mahmood, A.J. Hay* 11

Interaction of F-actin with phosphate analogues studied by differential scanning calorimetry (FEBS 14414) *O.P. Nikolaeva, I.V. Dedova, I.S. Khvorova, D.I. Levitsky* 15

Relationship between corticotropin-releasing factor and interleukin-2: evolutionary evidence (FEBS 14415) *E. Ottaviani, A. Franchini, E. Caselgrandi, A. Cossarizza, C. Franceschi* 19

Expression of a novel human myotonin protein kinase (MtPK) cDNA clone which encodes a protein with a thymopoietin-like domain in COS cells (FEBS 14421) *N. Sasagawa, H. Sorimachi, K. Maruyama, K. Arahata, S. Ishiura, K. Suzuki* 22

Nearest neighbor analysis of D1 and D2 subunits in the photosystem II reaction center using a bifunctional cross-linker, hexamethylene diisocyanate (FEBS 14416) *T. Tomo, K. Satoh* 27

Posttranslational processing of a carboxy-terminal propeptide containing a KDEL sequence of plant vacuolar cysteine endopeptidase (SH-EP) (FEBS 14422) *T. Okamoto, H. Nakayama, K. Seta, T. Isobe, T. Minamikawa* 31

Identification and hypotensive activity of proadrenomedullin N-terminal 20 peptide (PAMP) (FEBS 14423) *K. Kitamura, K. Kangawa, Y. Ishiyama, H. Washimine, Y. Ichiki, M. Kawamoto, N. Minamino, H. Matsuo, T. Eto* 35

Effect of lysophosphatidic acid on the preimplantation development of mouse embryos (FEBS 14428) *T. Kobayashi, S. Yamano, S. Murayama, H. Ishikawa, A. Tokumura, T. Aono* 38

src-related protein tyrosine kinases are physically associated with the surface antigen CD36 in human dermal microvascular endothelial cells** (FEBS 14427) *H.A. Bull, P.M. Brickell, P.M. Dowd* 41

Bcl-2 protects from oxidative damage and apoptotic cell death without interfering with activation of NF-κB by TNF (FEBS 14430) *H. Albrecht, J. Tschopp, C.V. Jongeneel* 45

The precursor of the *Streptomyces* R61 DD-peptidase containing a C-terminal extension is inactive (FEBS 14435) *L. Fanuel, B. Granier, J.-M. Wilkin, C. Bellefroid-Bourguignon, B. Joris, J. Knowles, E. Komives, J. Van Beeumen, J.-M. Ghuysen, J.-M. Frère* 49

Induction of calbindin-D 28K gene and protein expression by physiological stimuli but not in calcium-mediated degeneration in rat PC12 pheochromocytoma cells (FEBS 14434) *S. Vyas, P.P. Michel, M.-C. Copin, N. Faucon Biguet, M. Thomasset, Y. Agid* 53

Endogenous DHP-sensitive Ca^{2+} channels in *Pleurodeles* oocytes (FEBS 14429) *H. Ouadid, E. Browaeys-Poly, J.P. Vilain, P. Guilbault* 58

CGRP is expressed in primary cultures of human hepatocytes and in normal liver (FEBS 14436) *S. Bracq, B. Clement, E. Pidoux, M.S. Moukhtar, A. Jullienne* 63

Role of protein kinase C in cholinergic stimulation of lacrimal gland protein secretion (FEBS 14437) *D. Zoukhri, R.R. Hodges, D.M. Dicker, D.A. Dartt* 67

Autoimmunity in Stiff-Man Syndrome with breast cancer is targeted to the C-terminal region of human amphiphysin, a protein similar to the yeast proteins, Rvs167 and Rvs161 (FEBS 14439) *C. David, M. Solimena, P. De Camilli* 73

Levels of normal and abnormally phosphorylated tau in different cellular and regional compartments of Alzheimer disease and control brains (FEBS 14442) *S. Khatoon, I. Grundke-Iqbal, K. Iqbal* 80

Catabolism of intact fibrillin microfibrils by neutrophil elastase, chymotrypsin and trypsin (FEBS 14431) *C.M. Kielty, D.E. Woolley, S.P. Whittaker, C.A. Shuttleworth* 85

A connexin-32 mutation associated with Charcot-Marie-Tooth disease does not affect channel formation in oocytes (FEBS 14432) *C. Rabadan-Diehl, G. Dahl, R. Werner* 90

Purification and properties of the α-acetolactate decarboxylase from *Lactococcus lactis* subsp. *lactis* NCDO 2118 (FEBS 14433) *V. Phalip, C. Monnet, P. Schmitt, P. Renault, J.-J. Godon, C. Diviès* 95

The role of lysine 99 of *Thiobacillus versutus* cytochrome *c*-550 in the alkaline transition (FEBS 14448) *M. Ubbink, G.C.M. Warmerdam, A.P. Campos, M. Teixeira, G.W. Canters* 100

Sodium benzylideneascorbate induces apoptosis in HIV-replicating U1 cells (FEBS 14445) *K. Aoki, H. Nakashima, T. Hattori, D. Shiokawa, E.-i. Ni-imi, Y. Tanimoto, H. Maruta, F. Uchiumi, M. Kochi, N. Yamamoto, S.-i. Tanuma* 105

Molecular cloning of the human type VIII adenylyl cyclase (FEBS 14449) *N. Defer, O. Marinx, D. Stengel, A. Danisova, V. Iourgenko, I. Matsuoka, D. Caput, J. Hanoune* 109

Complete amino acid sequence of ribosomal protein S14 from *Bacillus stearothermophilus* and homology studies to other ribosomal proteins (FEBS 14451) *E. Herfurth, U. Briesemeister, B. Wittmann-Liebold* 114

Molecular cloning and expression of a prostaglandin E_2 receptor of the $EP_{3\beta}$ subtype from rat hepatocytes (FEBS 14450) *F. Neuschäfer-Rube, C. DeVries, K. Hänecke, K. Jungermann, G.P. Püschel* 119

Modulation of AP-1 activity by nitric oxide (NO) in vitro: NO-mediated modulation of AP-1 (FEBS 14452) *A. Tabuchi, K. Sano, E. Oh, T. Tsuchiya, M. Tsuda* 123

Direct ^{1}H NMR evidence for conversion of β-D-cellobiose to cellobionolactone by cellobiose dehydrogenase from *Phanerochaete chrysosporium* (FEBS 14460) *C.W. Higham, D. Gordon-Smith, C.E. Dempsey, P.M. Wood* 128

Sensitivity of *Halobacterium salinarium* to attractant light stimuli does not change periodically (FEBS 14457) *U. Krohs* 133

Commentary

Aminoacyl-tRNAs: Diversity before and unity after interaction with EF-Tu:GTP (FEBS 14383) *J. Barciszewski, M. Sprinzl, B.F.C. Clark* 137

Book Reviews 140

Booklist No. 119 144

Hypothesis

Nicotinamide, a missing link in the early stress response in eukaryotic cells: a hypothesis with special reference to oxidative stress in plants (FEBS 14463) *T. Berglund* 145

Research Letters

Formation of 50 kbp chromatin fragments in isolated liver nuclei is mediated by protease and endonuclease activation (FEBS 14440) *B. Zhivotovsky, D. Wade, A. Gahm, S. Orrenius, P. Nicotera* 150

The first hydrophobic segment of the ABC-transporter, Ste6, functions as a signal sequence (FEBS 14438) *R. Kölling, C.P. Hollenberg* 155

Crystal structure of domain A of *Thermus flavus* 5S rRNA and the contribution of water molecules to its structure (FEBS 14447) *C. Betzel, S. Lorenz, J.P. Fürste, R. Bald, M. Zhang, Th. Schneider, K.S. Wilson, V.A. Erdmann* 159

Secretory cleavage site of Alzheimer amyloid precursor protein is heterogeneous in Down's syndrome brain (FEBS 14464) *F. Kametani, K. Tanaka, T. Tokuda, S.-i. Ikeda* 165

Supercooperativity in platelet aggregation: Substituted pyridyl isoxazoles, a new class of supercooperative platelet aggregation inhibitors (FEBS 14458) *P.V. Vrzheshch, O.V. Demina, S.I. Shram, S.D. Varfolomeev* 168

Differential effects of fatty acid and phosholipid activators on the catalytic activities of a structurally novel protein kinase from rat liver (FEBS 14467) *N.A. Morrice, J. Fecondo, R.E.H. Wettenhall* 171

Yeast GAL11 protein stimulates basal transcription in a gene-specific manner by a mechanism distinct from that by DNA-bound activators (FEBS 14479) *H. Sakurai, T. Ohishi, H. Amakasu, T. Fukasawa* 176

1-Acyl-2-lysophosphatidylcholine transport across the blood–retina and blood–brain barrier (FEBS 14424) *M. Alberghina, S. Infarinato, C.D. Anfuso, G. Lupo* 181

Expression of the Menkes gene homologue in mouse tissues: lack of effect of copper on the mRNA levels (FEBS 14481) *J.A. Paynter, A. Grimes, P. Lockhart, J.F.B. Mercer* 186

The kinetics of HIV-1 long terminal repeat transcriptional activation resemble those of hsp70 promoter in heat-shock treated HeLa cells (FEBS 14441) *C. Kretz-Remy, A.-P. Arrigo* 191

Genetic transfer of endothelin converting enzyme activity to CHO-K1 cells: detection of positive cells by reverse hemolytic plaque assay (FEBS 14443) *T. Shiraki, T. Sawamura, T. Ikura, S. Kobayashi, S. Miwa, T. Masaki* 197

Interleukin 2-induced activation of JAK3: possible involvement in signal transduction for c-*myc* induction and cell proliferation (FEBS 14444) *H. Asao, N. Tanaka, N. Ishii, M. Higuchi, T. Takeshita, M. Nakamura, T. Shirasawa, K. Sugamura* 201

SNAP-25 is present in a SNARE complex in adrenal chromaffin cells (FEBS 14446) *D. Roth, R.D. Burgoyne* 207

Evidence for redox forms of the *Aequorea* green fluorescent protein (FEBS 14472) *S. Inouye, F.I. Tsuji* 211

Bromelain protease F9 reduces the CD44 mediated adhesion of human peripheral blood lymphocytes to human umbilical vein endothelial cells (FEBS 14473) *E. Munzig, K. Eckert, T. Harrach, H. Graf, H.R. Maurer* 215

Similar DNA binding properties of free P70 (KU) subunit and P70/P80 heterodimer (FEBS 14476) *J. Wang, M. Satoh, C.-H. Chou, W.H. Reeves* 219

The disulfide bond in chromogranin B, which is essential for its sorting to secretory granules, is not required for its aggregation in the trans-Golgi network (FEBS 14478) *E. Chanat, U. Weiß, W.B. Huttner* 225

Fluorescent differential display: arbitrarily primed RT-PCR fingerprinting on an automated DNA sequencer (FEBS 14480) *T. Ito, K. Kito, N. Adati, Y. Mitsui, H. Hagiwara, Y. Sakaki* 231

Specific binding sites for 3,3′-diiodo-L-thyronine (3,3′-T_2) in rat liver mitochondria (FEBS 14453) *A. Lanni, M. Moreno, C. Horst, A. Lombardi, F. Goglia* 237

Alterations at the 3′-CCA end of *Escherichia coli* and *Thermus thermophilus* $tRNA^{Phe}$ do not abolish their acceptor activity (FEBS 14454) *N.A. Moor, M.N. Repkova, V.I. Yamkovoy, O.I. Lavrik* 241

Endogenous fusicoccin-like ligand revealed in higher plants by radioreceptor and radioimmunoassays (FEBS 14455) *A.V. Babakov, L.M. Bartova, G.U. Margulis, R.R. Oganyan, V.D. Voblikova, A.N. Maisuryan, I.L. Dridze, G.S. Muromtsev* 243

Apolipoprotein E expression at neuromuscular junctions in mouse, rat and human skeletal muscle (FEBS 14484) *M. Akaaboune, M. Villanova, B.W. Festoff, M. Verdière-Sahuqué, D. Hantaï* 246

Formation of charge separated state $P^+Q_A^-$ and triplet state ^3P at low temperature in *Rhodobacter sphaeroides* (R-26) reaction centers in which bacteriopheophytin *a* is replaced by plant pheophytin *a* (FEBS 14456) *A.Ya. Shkuropatov, I.I. Proskuryakov, V.A. Shkuropatova, M.G. Zvereva, V.A. Shuvalov* 249

Production of double-stranded RNA during synthesis of bromouracil-substituted RNA by transcription with T7 RNA polymerase (FEBS 14483) *T.L. Cao, F. Revers, C. Cazenave* 253

Isolation and characterization of two cDNAs encoding for compartment specific isoforms of *O*-acetylserine (thiol) lyase from *Arabidopsis thaliana* (FEBS 14485) *R. Hell, C. Bork, N. Bogdanova, I. Frolov, R. Hauschild* 257

A 70-kDa heat shock cognate protein suppresses the defects caused by a proteasome mutation in *Saccharomyces cerevisiae* (FEBS 14486) *M. Ohba* 263

α-Latrotoxin-stimulated GABA release can occur in Ca^{2+}-free, Na^+-free medium (FEBS 14403) *L.G. Storchak, V.N. Pashkov, N.G. Pozdnyakova, N.H. Himmelreich, E.V. Grishin* 267

Sequencing of eleven introns in genomic DNA encoding rat glucagon receptor and multiple alternative splicing of its mRNA (FEBS 14488) *B. Maget, M. Tastenoy, M. Svoboda* 271

Functional properties of a heterozygous mutation ($Arg^{1174} \rightarrow Gln$) in the tyrosine kinase domain of the insulin receptor from a Type A insulin resistant patient (FEBS 14489) *W. Moritz, E.R. Froesch, M. Böni-Schnetzler* 276

A C-terminally truncated human parathyroid hormone receptor is functional and activates multiple G proteins (FEBS 14491) *H. Schneider, J.H.M. Feyen, K. Seuwen* 281

Identification of a novel mammalian member of the NSF/CDC48p/Pas1p/TBP-1 family through heterologous expression in yeast (FEBS 14492) *F. Périer, K.L. Coulter, H. Liang, C.M. Radeke, R.F. Gaber, C.A. Vandenberg* 286

Biosynthetic pathway for a new series of gangliosides, GT1aα and GQ1bα (FEBS 14496) *F. Irie, K.I.-P. Jwa Hidari, T. Tai, Y.-T. Li, Y. Seyama, Y. Hirabayashi* 291

Erratum and Corrigenda 295

Pyrimidine tract binding protein strongly stimulates in vitro encephalomyocarditis virus RNA translation at the level of preinitiation complex formation (FEBS 14461) *A. Borovjagin, T. Pestova, I. Shatsky* 299

Mechanism of gene activation by the *Escherichia coli* positive regulator, OmpR: a mutant defective in transcriptional activation (FEBS 14459) *H. Aiba, N. Kato, M. Tsuzuki, T. Mizuno* 303

Opioid ligands with extraordinarily high μ-selectivity: dermorphin tetrapeptides containing thymine-modified alanine residues (FEBS 14462) *D.A. Kharkevich, N.V. Sumbatyan, A.N. Topin, O.N. Chichenkov, S.V. Zaitsev, G.A. Korshunova* 308
No requirement of reactive oxygen intermediates in Fas-mediated apoptosis (FEBS 14465) *H. Hug, M. Enari, S. Nagata* 311
Oxygen-derived radicals stimulate renin release of isolated juxtaglomerular cells (FEBS 14466) *J. Galle, C. Herzog, P. Schollmeyer, C. Wanner* 314
Differentiation of HL-60 cells is promoted by H-toxin of *Clostridium septicum* (FEBS 14469) *N. Morinaga, I. Kato, M. Noda* 317
On the mobility behavior of a curved DNA fragment located in circular permutation (FEBS 14493) *T.M. Nair, K. Madhusudan, V. Nagaraja, B.D. Kulkarni, H.K. Majumdar, R. Singh* 321
Predominant role of the substituents on the hydroxyl groups of 3-hydroxy fatty acids of non-reducing glucosamine in lipid A for the endotoxic and antagonistic activity (FEBS 14470) *K.-i. Tanamoto* 325
Structure of membrane-bound human factor Va (FEBS 14494) *S. Stoylova, K.G. Mann, A. Brisson* 330
Oncogenically activated or ligand-stimulated *neu* kinase stimulates neurite outgrowth in PC12 cells (FEBS 14468) *D.C. Gamett, R.A. Cerione* 335
Activation of gastrin gene transcription in islet cells by a RAP1-like *cis*-acting promoter element (FEBS 14475) *B. Simon, L. Tillotson, S.J. Brand* 340
Structural analysis of recombinant von Willebrand factor: identification of hetero- and homo-dimers (FEBS 14474) *B. Fischer, A. Mitterer, U. Schlokat, R. DenBouwmeester, F. Dorner* 345
Neomycin: a novel potent blocker of communication between T-tubule and sarcoplasmic reticulum (FEBS 14482) *M. Yano, R. El-Hayek, B. Antoniu, N. Ikemoto* 349
Inhibition by PGE_2 of glucagon-induced increase in phosphoenolpyruvate carboxykinase mRNA and acceleration of mRNA degradation in cultured rat hepatocytes (FEBS 14490) *G.P. Püschel, B. Christ* 353
Biochemical evidence that the *Saccharomyces cerevisiae THR4* gene encodes threonine synthetase (FEBS 14487) *C. Ramos, I.L. Calderón* 357
Generation of the topa quinone cofactor in bacterial monoamine oxidase by cupric ion-dependent autooxidation of a specific tyrosyl residue (FEBS 14497) *R. Matsuzaki, T. Fukui, H. Sato, Y. Ozaki, K. Tanizawa* 360
ATP-sensitive K^+ channels in heart muscle cells first open and subsequently close at maintained anoxia (FEBS 14499) *S. Thierfelder, B. Doepner, C. Gebhardt, H. Hirche, K. Benndorf* 365
The primary oxygen sensor of the cat carotid body is cytochrome a_3 of the mitochondrial respiratory chain (FEBS 14500) *D.F. Wilson, A. Mokashi, D. Chugh, S. Vinogradov, S. Osanai, S. Lahiri* 370
Molecular cloning of a novel candidate G protein-coupled receptor from rat brain (FEBS 14501) *Z.H. Song, W.S. Young III, M.J. Brownstein, T.I. Bonner* 375
Molecular cloning and evolutional analysis of a mammalian homologue of the *Distal-less 3* (*Dlx-3*) homeobox gene (FEBS 14509) *T. Shirasawa, K. Sakamoto, H. Tkahashi* 380
An *Escherichia coli cyoE* gene homologue in thermophilic *Bacillus* PS3 encodes a thermotolerant heme O synthase (FEBS 14502) *K. Saiki, T. Mogi, M. Ishizuka, Y. Anraku* 385
Thermal stabilization of ribonuclease T_1 by carboxymethylation at Glu-58 as revealed by ^1H nuclear magnetic resonance spectroscopy (FEBS 14503) *M. Kojima, T. Mizukoshi, H. Miyano, E.-i. Suzuki, M. Tanokura, K. Takahashi* 389
Intracellular single chain Fv antibody inhibits Ras activity in T-cell antigen receptor stimulated Jurkat cells (FEBS 14505) *T.M. Werge, C.T. Baldari, J.L. Telford* 393
Sequence and structure similarities of cathepsin B from the parasite *Schistosoma mansoni* and human liver (FEBS 14506) *M.-Q. Klinkert, D. Cioli, E. Shaw, V. Turk, W. Bode, R. Butler* 397
Cloning, sequencing and overexpression of the *Desulfovibrio gigas* ferredoxin gene in *E. coli* (FEBS 14504) *B. Chen, N.K. Menon, L. Dervertarnian, J.J.G. Moura, A.E. Przybyla* 401
Mobile segments in rabbit skeletal muscle F-actin detected by ^1H nuclear magnetic resonance spectroscopy (FEBS 14507) *G. Ślósarek, D. Heintz, H.R. Kalbitzer* 405
Molecular characterization of a class IV human alcohol dehydrogenase gene (*ADH7*) (FEBS 14508) *S. Yokoyama, Y. Matsuo, R. Ramsbotham, R. Yokoyama* 411
Iron–sulfur cluster-containing L-serine dehydratase from *Peptostreptococcus asaccharolyticus*: correlation of the cluster type with enzymatic activity (FEBS 14514) *A.E.M. Hofmeister, S.P.J. Albracht, W. Buckel* 416
Activation of the alternative pathway of complement by apoptotic Jurkat cells (FEBS 14510) *H. Matsui, S. Tsuji, H. Nishimura, S. Nagasawa* 419
Functional and structural similarity between the X protein of hepatitis B virus and nucleoside diphosphate kinases (FEBS 14513) *T. De-Medina, Y. Shaul* 423
Human glutathione transferase catalysis of the formation of *S*-nitrosoglutathione from organic nitrites plus glutathione (FEBS 14517) *D.J. Meyer, H. Kramer, B. Ketterer* 427
Thiol dependent isomerization of all-*trans*-retinoic acid to 9-*cis*-retinoic acid (FEBS 14515) *J. Urbach, R.R. Rando* 429
Tyrosine-rich acidic matrix protein (TRAMP) is a tyrosine-sulphated and widely distributed protein of the extracellular matrix (FEBS 14520) *E.G. Forbes, A.D. Cronshaw, J.R.E. MacBeath, D.J.S. Hulmes* 433
The crystal structure of the iron-free cytochrome *c* peroxidase and its implication for the enzymatic mechanism (FEBS 14523) *X.-D. Su, T. Yonetani, U. Skoglund* 437
Functional expression and purification of the ABC transporter complex associated with antigen processing (TAP) in insect cells (FEBS 14521) *T.H. Meyer, P.M. van Endert, S. Uebel, B. Ehring, R. Tampé* 443
Overexpression of TGN38/41 leads to mislocalisation of γ-adaptin (FEBS 14426) *B. Reaves, G. Banting* 448

Author index to volume 351 457

Contents to volume 351 463